Glidden Motion Bar Louie, 1348 Lagoon Avenue

Glidden moves to approve the following business license conditions

- Food and beverage service for all customers on the outdoor patio Sunday Tuesday shall cease at midnight. Food and beverage service for all customers on the outdoor patio Wednesday - Saturday shall cease at 2:00 a.m. and all patrons shall be off the premises by 2:30 a.m.
- 2) Amplified music in the outdoor area shall cease no later than midnight Sunday Tuesday; and by 1:00 a.m. Wednesday Saturdays.
- Bar Louie shall meet with a representative of the City of Minneapolis
 Environmental Management Division prior to operating the outdoor patio area to
 undergo a sound/noise mitigation evaluation to review strategies to determine
 and minimize unwanted sound emanating from the outdoor patio area;
- 4). Bar Louie shall implement reasonable strategies recommended by Environmental Management prior to operating the outdoor patio area to avoid potential violations of the City of Minneapolis noise ordinance and to minimize unwanted noise prior to opening the patio area for business; such strategies may include recommended hours of closure for windows and garage doors. Bar Louie must maintain compliance with City of Minneapolis Ordinance 389.60, relating to noise;
- 5). The outdoor patio area shall be enclosed by fencing or other barriers and Bar Louie shall direct, and take reasonable measures to ensure, all patrons enter the outdoor area through the existing restaurant doors;
- Bar Louie shall maintain a security plan and exit strategy and employ a manager, an assistant manager, or supervisory-level employee at all times the business is open to the public;
- 7). The licensee will provide validated parking to its customers for the first hour of parking, in the MoZaic parking ramp, with a minimum food and/or beverage purchase of \$12.00 at Bar Louie. The minimum purchase is subject to change;
- 8). Bar Louie shall post educational signs regarding excess noise and its impact on livability in the neighborhood.